

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://abeba.nt-rt.ru> || abe@nt-rt.ru

Модели TRAX LIGHT

THE LIGHTEST PROTECTION

with the Trax Light line

 PROTEKTOR



TRAX LIGHT LINE

S1P



5017863



5022863



5021863



5016863



PRODUCT FEATURES



INCREASED
DURABILITY
OF THE UPPER



ANTISTATIC
FOOTWEAR



INCREASED
BREATHABILITY



COMP
COMPOSITE
TOE CAP



SOLE PU/PU



**PRT FLEX
TECHNOLOGY**



**SHOCK ABSORBER
TECHNOLOGY**



**ANA - TECH
TECHNOLOGY**
extended
heel surface
in the sole



**LADDER
SOLE**



TRAX LIGHT

5017863



The line of shoes Trax Light was created especially for the comfort of work in production halls and warehouses. The technical fabric of the upper ensures lightness and free air circulation inside the footwear. The material used in the upper is characterized by tear resistance and the highest level of puncture resistance.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	low shoe
Color	● schwarz
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability, in the requirements of min. 0,8 mg/ (cm²*h) - our result is 42,9 mg/ (cm²*h). the water vapor coefficient is required at least 15 mg/cm² - and our result is 343,3 mg/cm²</p> <p>upper fabric - increased water vapor permeability, in the requirements of mind. 0,8 mg/ (cm²*h) - our result is 31,8 mg/ (cm²*h). the water vapor ratio is minimum 15 mg/cm² - and our result is 254,4 mg/cm²</p> <p>increased durability of the upper</p> <p>upper fabric - excellent tear strength parameters, with a minimum requirement of 60 N - our tearing result along the length is 199 N and across it is 107 N.</p>
Upper material	leather/fabric
Lining & Sock	technological fabric
Insole	fabric, replaceable insole
Sole	PU/PU, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANA - TECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	FR 35-51, CM 22,5-33, UK 3-15,5
Weight (half pair s.42)	0,63 kg



TRAX LIGHT

5022863



The line of shoes Trax Light was created especially for the comfort of work in production halls and warehouses. The technical fabric of the upper ensures lightness and free air circulation inside the footwear. The material used in the upper is characterized by tear resistance and the highest level of puncture resistance.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	low shoe
Color	● blue
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability, in the requirements of min. 0,8 mg/ (cm2*h) - our result is 42,9 mg/ (cm2*h). the water vapor coefficient is required at least 15 mg/cm2 - and our result is 343,3 mg/cm2</p> <p>upper fabric - increased water vapor permeability, in the requirements of mind. 0,8 mg/ (cm2*h) - our result is 31,8 mg/ (cm2*h). the water vapor ratio is minimum 15 mg/cm2 - and our result is 254,4 mg/cm2</p> <p>increased durability of the upper</p> <p>upper fabric - excellent tear strength parameters, with a minimum requirement of 60 N - our tearing result along the length is 199 N and across it is 107 N.</p>
Upper material	leather/fabric
Lining & Sock	technological fabric
Insole	fabric, replaceable insole
Sole	PU/PU, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANA - TECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	FR 35-51, CM 22,5-33, UK 3-15,5
Weight (half pair s.42)	0,63 kg



TRAX LIGHT

5021863



The line of shoes Trax Light was created especially for the comfort of work in production halls and warehouses. The technical fabric of the upper ensures lightness and free air circulation inside the footwear. The material used in the upper is characterized by tear resistance and the highest level of puncture resistance.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	low shoe
Color	● brown
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability, in the requirements of min. 0,8 mg/ (cm2*h) - our result is 42,9 mg/ (cm2*h). the water vapor coefficient is required at least 15 mg/cm2 - and our result is 343,3 mg/cm2</p> <p>upper fabric - increased water vapor permeability, in the requirements of mind. 0,8 mg/ (cm2*h) - our result is 31,8 mg/ (cm2*h). the water vapor ratio is minimum 15 mg/cm2 - and our result is 254,4 mg/cm2</p> <p>increased durability of the upper</p> <p>upper fabric - excellent tear strength parameters, with a minimum requirement of 60 N - our tearing result along the length is 199 N and across it is 107 N.</p>
Upper material	leather/fabric
Lining & Sock	technological fabric
Insole	fabric, replaceable insole
Sole	PU/PU, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANA - TECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	FR 35-51, CM 22,5-33, UK 3-15,5
Weight (half pair s.42)	0,63 kg



TRAX LIGHT

5016863







The line of shoes Trax Light was created especially for the comfort of work in production halls and warehouses. The technical fabric of the upper ensures lightness and free air circulation inside the footwear. The material used in the upper is characterized by tear resistance and the highest level of puncture resistance.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	low shoe
Color	● grey
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability, in the requirements of min. 0,8 mg/ (cm2*h) - our result is 42,9 mg/ (cm2*h). the water vapor coefficient is required at least 15 mg/cm2 - and our result is 343,3 mg/cm2</p> <p>upper fabric - increased water vapor permeability, in the requirements of mind. 0,8 mg/ (cm2*h) - our result is 31,8 mg/ (cm2*h). the water vapor ratio is minimum 15 mg/cm2 - and our result is 254,4 mg/cm2</p> <p>increased durability of the upper</p> <p>upper fabric - excellent tear strength parameters, with a minimum requirement of 60 N - our tearing result along the length is 199 N and across it is 107 N.</p>
Upper material	leather/fabric
Lining & Sock	technological fabric
Insole	fabric, replaceable insole
Sole	PU/PU, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANA - TECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	FR 35-51, CM 22,5-33, UK 3-15,5
Weight (half pair s.42)	0,63 kg



LINE Article number	TRAX LIGHT 5017863	TRAX LIGHT 5022863	TRAX LIGHT 5021863	TRAX LIGHT 5016863
footwear type color assembly system / type of sole upper material sizes weight of a half pair	shoes black pu/pu injection leather/fabric 35-51 0.63 kg	shoes navy blue pu/pu injection leather/fabric 35-51 0.63 kg	shoes brown pu/pu injection leather/fabric 35-51 0.63 kg	shoes gray pu/pu injection leather/fabric 35-51 0.63 kg
				
PROTECTION CATEGORY	S1P	S1P	S1P	S1P
PROPERTIES	HI3			
	P	•	•	•
	SRC	•	•	•
	SRB			
	SRA			
	ESD	•	•	•
	A	•	•	•
	E	•	•	•
	FO	•	•	•
	HI			
	CI			
	HRO			
	WR			
WRU				
INCREASED	SLIP RESISTANCE			
	BREATHABILITY	•	•	•
	WATER RESISTANCE			
	DURABILITY OF THE UPPER	•	•	•
TOE CAP	COMPOSITE	•	•	•
	STEEL			
	ALUMINUM			
ADDITIONAL FEATURES	HEAT-RESISTANT SOLE			
	NON-FLAMMABLE SOLE			
	METAL FREE	•	•	•
	EASY-CLEAN UPPER	•	•	•
	ANTIBACTERIAL LINING			
	MEMBRANE LINING			
	TOE CAP PROTECTION			
	HEAT-RESISTANT LEATHER			
	REFLECTIVE ELEMENTS			
	BELLOWS TONGUE			
	QUICK DONNING SYSTEM			
	QUICK SHOE REMOVAL SYSTEM			
	LADDER SOLE	•	•	•
	NO LINING			
ANKLE PROTECTION				
ISULATED				
INSOLE	ANTIBACTERIAL			
	ORTHOPEDIC			
	REPLACEABLE	•	•	•
	INTEGRATED			
OTHER	MASSAGE			
	AUTOCLAVABLE			
	DISINFECTION			
	WASHABLE 30°			
	WASHABLE 60°			
TECHNOLOGIES	HACCP			
	ATEX			
	PRT FLEX	•	•	•
	SHOCK ABSORBER	•	•	•
	ANA-TECH	•	•	•
	SELF CLEAN			
	PRO-TENDON			
UV PROTECTION				
COLD PROTECTION				



ANA-TECH TECHNOLOGY

PROTEKTOR

ANA-TECH is a technology whose secret is the carefully designed shape of the sole. The widened heel area helps to minimise the risk of ankle sprains, thanks to a larger surface area adjacent to the floor than in standard footwear.



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://abeba.nt-rt.ru> || abe@nt-rt.ru