Архангельск (8182)63-90-72 Астана (7172)727-132 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Волгоград (844)278-03-48 Волоград (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калигинград (4012)72-03-81 Каров (3842)65-04-62 Киров (8332)68-02-04 Краснодар (861)203-40-90 Краснодар (861)203-40-90 Краснодарск (391)204-63-61 Курск (4712)77-13-04 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новосибирск (3843)20-46-81 Новосибирск (3833)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16

Россия (495)268-04-70

https://abeba.nt-rt.ru || abe@nt-rt.ru

Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (862)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35 Тверь (4822)63-31-35 Томск (3822)98-41-53 Тула (4872)74-02-29 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Яроспавль (4852)69-52-93

PROTEKTOR

11

### Модели TRAX





















01-045842



TOR

# **PRODUCT** FEATURES

OPROTEX


COMPOSITE

TOE CAP

сомр

**φ** 





INCREASED WATER RESISTANCE



## **SOLE** PU/PU



(Æð







#### 👓 🗧 🐨 ᢙ 🖉 🖶 😌 🌐 🥴 🐨 🐨 🕕 🕙 🗙 🗲 AT

Brand	PROTEKTOR							
Industry	electronics industry, light industry, transport / warehouses							
Product type	sandals							
Color	black							
Norm	EN ISO 20345:2011							
Certificate	IPS-1439-21/2021 wyd.1							
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper							
Product characteristics	increased breathability							
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2							
	increased water resistance							
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g							
Upper material	velour leather							
Lining & Sock	technological fabric							
Insole	fabric, antibacterial insole							
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)							
Fastening	shoelaces							
Size	38 - 48							
Weight (half pair s.42)	0,65 kg							





While preparing for the design of new models of specialist footwear, we chose the main goal - to create products that are maximally suited to the diverse needs of users. After discussions with representatives of many sectors of the broadly understood light industry, we decided that the TRAX line is a footwear designed for employees of the electronics, storage and transport industries.

#### 

Brand	PROTEKTOR						
Industry	electronics industry, light industry, transport / warehouses						
Product type	shoes						
Color	black						
Norm	EN ISO 20345:2012						
Certificate	IPS-1439-20/2021 wyd.1						
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper						
Product characteristics	increased breathability						
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2						
	increased water resistance						
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g						
Upper material	velour leather						
Lining & Sock	technological fabric						
Insole	fabric, antibacterial insole						
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)						
Fastening	shoelaces						
Size	38 - 48						
Weight (half pair s.42)	0,65 kg						







#### s 🕞 🐨 🎑 🖉 🖶 🕄 🔮 🏶 🅮 🐨 🐨 🗊 🗐 🧟 🗶 🛃 🖪 🖪

Brand	PROTEKTOR						
Industry	electronics industry, light industry, transport / warehouses						
Product type	ankle boots						
Color	black						
Norm	EN ISO 20345:2011						
Certificate	IPS-1439-20/2021 wyd.1						
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper, PRO-TENDON technology (Achilles tendon protection)						
Product characteristics	increased breathability						
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2						
	collar and tongue material - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 58.2 mg / (cm2 * h), the water vapor coefficient is minimum 15 mg / cm2 and our result is 466 mg / cm2						
	increased water resistance						
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g						
Upper material	velour leather						
Lining & Sock	technological fabric						
Insole	fabric, antibacterial insole						
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)						
Fastening	shoelaces						
Size	38 - 48						
Weight (half pair s.42)	0,70 kg						







#### s=> 🗣 🚱 🏈 🗣 😌 🏶 🥮 🚭 🐨 🗊 🕘 🧟 🗛

Brand	PROTEKTOR							
Industry	electronics industry, light industry, transport / warehouses							
Product type	sandals							
Color	• gray							
Norm	EN ISO 20345:2011							
Certificate	IPS-1439-20/2021 wyd.1							
Product features	increased breathability, increased water resistance, Zehenschutzkappe aus Verbundstoff, Metallfrei, leicht zu reinigernder Schaft							
Product characteristics	increased breathability							
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2							
	increased water resistance							
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g							
Upper material	velour leather							
Lining & Sock	technological fabric							
Insole	fabric, antibacterial insole							
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)							
Fastening	shoelaces							
Size	38 - 48							
Weight (half pair s.42)	0,65 kg							





While preparing for the design of new models of specialist footwear, we chose the main goal - to create products that are maximally suited to the diverse needs of users. After discussions with representatives of many sectors of the broadly understood light industry, we decided that the TRAX line is a footwear designed for employees of the electronics, storage and transport industries.

#### s 🕞 🚱 🕢 😭 😌 🔮 🥮 🍰 🚭 🔀 🗐 🧶 🗶 🛃 🗛

Brand	PROTEKTOR							
Industry	electronics industry, light industry, transport / warehouses							
Product type	shoes							
Color	gray							
Norm	EN ISO 20345:2011							
Certificate	IPS-1439-20/2021 wyd.1							
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper							
Product characteristics	increased breathability							
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2							
	increased water resistance							
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g							
Upper material	velour leather							
Lining & Sock	technological fabric							
Insole	fabric, antibacterial insole							
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole) shoelaces							
Fastening								
Size	38 - 48							
Weight (half pair s.42)	0,65 kg							

( EB





While preparing for the design of new models of specialist footwear, we chose the main goal - to create products that are maximally suited to the diverse needs of users. After discussions with representatives of many sectors of the broadly understood light industry, we decided that the TRAX line is a footwear designed for employees of the electronics, storage and transport industries.

#### ■ 🗧 🕼 🖉 🗧 😌 🕒 🗳 🚇 🗠 🐨 🔀 🗐 🧶 🗶 🛃 🖪 PI

Brand	PROTEKTOR							
Industry	electronics industry, light industry, transport / warehouses							
Product type	ankle boots							
Color	gray							
Norm	EN ISO 20345:2011							
Certificate	IPS-1439-20/2021 wyd.1							
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper, PRO-TENDON technology (Achilles tendon protection)							
Product characteristics	increased breathability							
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2							
	collar and tongue material - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 58.2 mg / (cm2 * h), the water vapor coefficient is minimum 15 mg / cm2 and our result is 466 mg / cm2							
	increased water resistance							
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g							
Upper material	velour leather							
Lining & Sock	technological fabric							
Insole	fabric, antibacterial insole							
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)							
Fastening	shoelaces							
Size	38 - 48							
Weight (half pair s.42)	0,70 kg							







#### 

Brand	PROTEKTOR						
Industry	electronics industry, light industry, transport / warehouses						
Product type	sandals						
Color	navy blue						
Norm	EN ISO 20345:2011						
Certificate	IPS-1439-20/2021 wyd.1						
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper						
Product characteristics	increased breathability						
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2						
	increased water resistance						
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g						
Upper material	velour leather						
Lining & Sock	technological fabric						
Insole	fabric, antibacterial insole						
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)						
Fastening	shoelaces						
Size	38 - 48						
Weight (half pair s.42)	0,65 kg						





While preparing for the design of new models of specialist footwear, we chose the main goal - to create products that are maximally suited to the diverse needs of users. After discussions with representatives of many sectors of the broadly understood light industry, we decided that the TRAX line is a footwear designed for employees of the electronics, storage and transport industries.

#### s 🕞 🐨 🎑 🖉 🖶 🖶 🌐 🕮 🚭 🐨 🗊 🗐 🧶 🔀 🗖 🚮

Brand	PROTEKTOR							
Industry	electronics industry, light industry, transport / warehouses							
Product type	shoes							
Color	navy blue							
Norm	EN ISO 20345:2011							
Certificate	IPS-1439-20/2021 wyd.1							
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper							
Product characteristics	increased breathability							
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2							
	increased water resistance							
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g							
Upper material	velour leather							
Lining & Sock	technological fabric							
Insole	fabric, antibacterial insole							
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)							
Fastening	shoelaces							
Size	38 - 48							
Weight (half pair s.42)	0,65 kg							






While preparing for the design of new models of specialist footwear, we chose the main goal - to create products that are maximally suited to the diverse needs of users. After discussions with representatives of many sectors of the broadly understood light industry, we decided that the TRAX line is a footwear designed for employees of the electronics, storage and transport industries.

#### os 🗧 🐨 🎑 🖉 🖶 🕄 🔮 🏶 🎱 🐨 🌚 📵 🖳 🗶 🛃 🖬 PT

Brand	PROTEKTOR						
Industry	electronics industry, light industry, transport / warehouses						
Product type	ankle boots						
Color	navy blue						
Norm	EN ISO 20345:2011						
Certificate	IPS-1439-20/2021 wyd.1						
Product features	increased breathability, increased water resistance, composite toe cap, metal free, easy-clean upper, PRO-TENDON technology (Achilles tendon protection)						
Product characteristics	increased breathability						
	lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 42.9 mg / (cm2 *h), the water vapor coefficient is required at least 15 mg / cm2 and our result is 343.3 mg / cm2						
	collar and tongue material - increased water vapor permeability in the requirements of min 0.8 mg / (cm2 * h) - our result is 58.2 mg / (cm2 * h), the water vapor coefficient is minimum 15 mg / cm2 and our result is 466 mg / cm2						
	increased water resistance						
	velour - water absorption after 60 min - in requirements no more than 30% - our result 3.15%, water permeability expressed as material weight gain after 60 min - in requirements no more than 0.2 g - our result 0.02 g						
Upper material	velour leather						
Lining & Sock	technological fabric						
Insole	fabric, antibacterial insole						
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)						
Fastening	shoelaces						
Size	38 - 48						
Weight (half pair s.42)	0,70 kg						

<b>LIN</b> arti	E cle number	<b>TRAX</b> 5015840	<b>TRAX</b> 5015841	<b>TRAX</b> 5015842	<b>TRAX</b> 5025840	<b>TRAX</b> 5025841	<b>TRAX</b> 5025842	<b>TRAX</b> 5045840	<b>TRAX</b> 5045841	<b>TRAX</b> 5045842
color asse uppe sizes	mbly system / type of sole er material	sandals black pu/pu injection velour leather 38 - 48 0,65 kg (r.42)	shoes black pu/pu injection velour leather 38 - 48 0.65 kg (r.42)	ankle boots black pu/pu injection velour leather 38 - 48 0,70 kg (r.42)	sandals gray pu/pu injection velour leather 38 - 48 0,65 kg (r.42)	shoes gray pu/pu injection velour leather 38 - 48 0,65 kg (r.42)	ankle boots gray pu/pu injection velour leather 38 - 48 0,70 kg (r.42)	sandals navy blue pu/pu injection velour leather 38 - 48 0,65 kg (r.42)	shoes navy blue pu/pu injection velour leather 38 - 48 0,65 kg (r.42)	ankle boots navy blue pu/pu injection velour leather 38 - 48 0.70 kg (r.42)
PRC	DTECTION CATEGORY	S1P	53	53	S1P	53	53	S1P	53	53
	HI3									TEVTO
	P	•	•	•	•	•	•	• •		TEKTO
	SRC SRB	•	•	•	•	•	•	•	•	•
	SRA									
	ESD	•	•	•	•	•	•	•	•	•
RTIES	A	•	•	•	•	•	•	•	•	•
PROPERTIES	E	•	•	•	•	•	•	•	•	•
Ч	FO	•	•	•	•	•	•	•	•	•
	н									
	CI			•			•			٠
	HRO									
	WR									
	WRU		•	•		•	•		•	•
Ü	SLIP RESISTANCE									
INCREASED	BREATHABILITY	•	•	•	•	•	•	•	•	•
NCR	WATER RESISTANCE		•	•		•	•		•	•
_	DURABILITY OF THE UPPER									
CAP	COMPOSITE	•	•	•	•	•	•	•	•	•
TOE	STEEL									
-	ALUMINUM HEAT-RESISTANT SOLE									
	NON-FLAMMABLE SOLE									
	METAL FREE	•	•	•	•	•	•	•	•	•
	EASY-CLEAN UPPER	•	•	•	•	•	•	•	•	•
	ANTIBACTERIAL LINING									
S	MEMBRANE LINING									
TURE	TOE CAP PROTECTION									
FEA <sup>-</sup>	HEAT-RESISTANT LEATHER									
NAL	REFLECTIVE ELEMENTS									
ADDITIONAL FEATURES	BELLOWS TONGUE									
ADL	QUICK DONNING SYSTEM									
	QUICK SHOE REMOVAL SYSTEM									
	LADDER SOLE	•	•	•	•	•	•	•	•	•
	NO LINING									
	ANKLE PROTECTION									
	ISULATED									
INSOLE	ORTHOPEDIC REPLACEABLE	-	-	-	-		-		-	-
INS(	INTEGRATED	•	•	•	•	•	•	•	•	•
	MASSAGE									
	AUTOCLAVABLE								-	
	DISINFECTION	•	•	•	•	•	•	•	•	•
щ	WASHABLE 30°		-	-	-	-	-	-	-	
OTHER	WASHABLE 60°						1			
-	НАССР									
	ATEX									
TECHNOLOGIES	PRT FLEX	•	•	•	•	•	•	•	•	•
	SHOCK ABSORBER	•	•	•	•	•	•	•	•	•
	ANA-TECH	•	•	•	•	•	•	•	•	•
NOLC	SELF CLEAN									
ECH	PRO-TENDON			•			•			•
F	UV PROTECTION									
	COLD PROTECTION	1								



Архангельск (8182)63-90-72 Астана (7172)727-132 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Белгород (4722)40-23-64 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06

Ижевск (3412)26-03-58 Ижевск (3412)26-03-38 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Красноярс (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Нижний Нов ород (857)425-0 Новокузнецк (3843)20-46-81 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Орен (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16

Пермь (342)205-81-47 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35 Тверь (4822)63-31-35 Тверь (4822)63-31-35 Томск (3822)98-41-53 Тула (4872)74-02-29 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Ярославль (4852)69-52-93

Казахстан (772)734-952-31

#### https://abeba.nt-rt.ru || abe@nt-rt.ru

Россия (495)268-04-70