

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://abeba.nt-rt.ru> || abe@nt-rt.ru

Модели TRAX AUTOMOTIVE

RELIABLE DURABILITY

with the Trax Automotive line

 PROTEKTOR



TRAX AUTOMOTIVE LINE

S1P

S3



5005840



5005841



5005842



PRODUCT FEATURES



ANTISTATIC
FOOTWEAR



METAL
FREE

FOOTWEAR
WITHOUT
METAL
ELEMENTS



INCREASED
DURABILITY
OF THE UPPER



COMP
COMPOSITE
TOE CAP



SOLE PU/PU



TRAX AUTOMOTIVE

5005840



Comfort and safety can always go hand in hand with the new TRAX AUTOMOTIVE footwear line.

The upper is designed in a minimalist way with a reduced number of stitching for easier cleaning of the shoes from the outside. Abrasion-resistant full-grain leather and the two-ply material used in the TRAX model, which is more than three times the standard in terms of tear resistance.

TRAX AUTOMOTIVE is also light and flexible, for greater comfort in overcoming everyday challenges.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	sandals
Color	● black
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper, disinfection
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm² * h) - our result is 42.9 mg / (cm² *h), the water vapor coefficient is required at least 15 mg / cm² and our result is 343.3 mg / cm²</p> <p>increased durability of the upper</p> <p>grain leather - excellent parameters of tensile strength along and across, additionally tested for the friction resistance of the coating proving that the resistance to external factors, which cause abrasion of the leather, exceeds the standards</p>
Upper material	grain leather
Lining & Sock	technological fabric
Insole	fabric, antibacterial insole
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	38 - 48
Weight (half pair s.42)	0,64 kg



TRAX AUTOMOTIVE

5005841



Comfort and safety can always go hand in hand with the new TRAX AUTOMOTIVE footwear line.

The upper is designed in a minimalist way with a reduced number of stitching for easier cleaning of the shoes from the outside. Abrasion-resistant full-grain leather and the two-ply material used in the TRAX model, which is more than three times the standard in terms of tear resistance.

TRAX AUTOMOTIVE is also light and flexible, for greater comfort in overcoming everyday challenges.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	shoes
Color	● black
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper, disinfection
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm² * h) - our result is 42.9 mg / (cm² *h), the water vapor coefficient is required at least 15 mg / cm² and our result is 343.3 mg / cm²</p> <p>increased durability of the upper</p> <p>grain leather - excellent parameters of tensile strength along and across, additionally tested for the friction resistance of the coating proving that the resistance to external factors, which cause abrasion of the leather, exceeds the standards</p>
Upper material	grain leather
Lining & Sock	technological fabric
Insole	fabric, antibacterial insole
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	38 - 48
Weight (half pair s.42)	0,75 kg



TRAX AUTOMOTIVE

5005842









Comfort and safety can always go hand in hand with the new TRAX AUTOMOTIVE footwear line. The upper is designed in a minimalist way with a reduced number of stitching for easier cleaning of the shoes from the outside. Abrasion-resistant full-grain leather and the two-ply material used in the TRAX model, which is more than three times the standard in terms of tear resistance. TRAX AUTOMOTIVE is also light and flexible, for greater comfort in overcoming everyday challenges.



Brand	PROTEKTOR
Industry	electronics industry, light industry, transport / warehouses
Product type	ankle boots
Color	● black
Norm	EN ISO 20345:2011
Certificate	IPS-1439-20/2021 wyd.1
Product features	increased breathability, increased durability of the upper, composite toe cap, metal free, easy-clean upper, disinfection, PRO-TENDON technology (Achilles tendon protection)
Product characteristics	<p>increased breathability</p> <p>lining - increased water vapor permeability in the requirements of min 0.8 mg / (cm² * h) - our result is 42.9 mg / (cm² *h), the water vapor coefficient is required at least 15 mg / cm² and our result is 343.3 mg / cm²</p> <p>collar and tongue material - increased water vapor permeability in the requirements of min 0.8 mg / (cm² * h) - our result is 58.2 mg / (cm² * h), the water vapor coefficient is minimum 15 mg / cm² and our result is 466 mg / cm²</p> <p>increased durability of the upper</p> <p>grain leather - excellent parameters of tensile strength along and across, additionally tested for the friction resistance of the coating proving that the resistance to external factors, which cause abrasion of the leather, exceeds the standards</p>
Upper material	grain leather
Lining & Sock	technological fabric
Insole	fabric, antibacterial insole
Sole	pu/pu, sole tread allowing climbing the ladder safely, PRT FLEX technology, SHOCK ABSORBER technology, ANATECH technology (extended heel surface in the sole)
Fastening	shoelaces
Size	38 - 48
Weight (half pair s.42)	0,70 kg



LINE article number	TRAX AUTOMOTIVE 5005840	TRAX AUTOMOTIVE 5005841	TRAX AUTOMOTIVE 5005842
footwear type color assembly system / type of sole upper material sizes weight of a half pair	sandals black pu/pu injection grain leather 38 - 48 0,64 kg (r.42)	shoes black pu/pu injection grain leather 38 - 48 0,75 kg (r.42)	ankle boots black pu/pu injection grain leather 38 - 48 0,70 kg (r.42)
			
PROTECTION CATEGORY			
PROPERTIES	HI3		
	P	•	•
	SRC	•	•
	SRB		
	SRA		
	ESD	•	•
	A	•	•
	E	•	•
	FO	•	•
	HI		
	CI		•
	HRO		
	WR		
	WRU	•	•
INCREASED	SLIP RESISTANCE		
	BREATHABILITY	•	•
	WATER RESISTANCE		
	DURABILITY OF THE UPPER	•	•
TOE CAP	COMPOSITE	•	•
	STEEL		
	ALUMINUM		
ADDITIONAL FEATURES	HEAT-RESISTANT SOLE		
	NON-FLAMMABLE SOLE		
	METAL FREE	•	•
	EASY-CLEAN UPPER	•	•
	ANTIBACTERIAL LINING		
	MEMBRANE LINING		
	TOE CAP PROTECTION		
	HEAT-RESISTANT LEATHER		
	REFLECTIVE ELEMENTS		
	BELLOWS TONGUE		
	QUICK DONNING SYSTEM		
	QUICK SHOE REMOVAL SYSTEM		
	LADDER SOLE	•	•
	NO LINING		
ANKLE PROTECTION			
INSOLE	ISULATED		
	ANTIBACTERIAL		
	ORTHOPEDIC		
	REPLACEABLE	•	•
	INTEGRATED		
OTHER	MASSAGE		
	AUTOCLAVABLE		
	DISINFECTION	•	•
	WASHABLE 30°		
	WASHABLE 60°		
TECHNOLOGIES	HACCP		
	ATEX		
	PRT FLEX	•	•
	SHOCK ABSORBER	•	•
	ANA-TECH	•	•
	SELF CLEAN		
	PRO-TENDON		
UV PROTECTION			
COLD PROTECTION			



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://abeba.nt-rt.ru> || abe@nt-rt.ru

